

## ÍNDICE DE PALAVRAS-CHAVE - QUÍMICA NOVA, VOL. 31, 2008

- (+)-5-epi-tashiromine; 771  
 (+)-isoretronecanol; 771  
 1,2,4-triazoles; 536  
 1-MCP; 1367  
 2-MIB; 75  
 2-phenylbenzotriazole-type mutagens; 401  
 3-O-methyl ellagic acid-4'-O- $\alpha$ -L-rhamnoside; 1359  
 4-hydroxy-2-mercapto-6-propylpyrimidine; 70  
 4-thiazolidinone; 369  
 5-deoxyflavonoids; 1349  
 $\alpha$ -tetralols; 813  
 $\beta$ -carotene; 1259  
 $\beta$ -galactosidase; 336  
 $\beta$ -glucan; 1015  
 $\beta$ -lapachone; 413
- ab initio* and DFT electronic structure methods; 1750  
 açafá; 1427  
 acetylcholinesterase inhibitors; 1631  
 acetophenones; 601  
 acetylcholinesterase activity; 53  
 acetylene; 1673  
 acid digestion; 556  
 acid hydrolysis; 1104  
 acid mine drainage; 1127  
 acid-base strength; 1591  
 acid-base theory; 1591  
 activated bauxite; 1165  
 activated carbon; 1048, 1296  
 active plant extracts; 1699  
 acylated kaempferol glycosids; 1481  
 adhesives; 1909  
 adsorbent organic thin films; 1410  
 adsorption; 35, 285, 1048, 1305  
 adsorption isotherms; 353  
 adsorption process; 518  
 adulteration; 31  
 advanced oxidation processes; 75, 114  
 affinity partitioning; 998  
 aflatoxin B<sub>1</sub>; 514  
 AIDS; 2111  
 air pollution; 249, 1038, 1925  
 air sampling; 1180  
 air-sea exchange; 1613  
 alginate; 1145  
 alkaloids; 2052  
 allelopathy; 493  
 Alpoim; 930  
 alternative adsorption; 985  
 Amaryllidaceae; 2042  
*Amathia convoluta*; 924
- aminoalcohols; 776  
 amitriptyline; 1653  
 ammonium ion; 1237  
 amphotericin B; 591  
 analgesic activity; 1747  
 analytical method validation; 1285  
 analytical methods; 1522  
 analytical procedures; 1218  
 angular momentum; 1058  
 anion sensing; 2134  
 anthocyanins; 1218  
 anthraquinones; 1979  
 antibiotics; 1807  
 anticholinesterasic; 2042  
 antiedematogenic activity; 744  
 antifungal activity; 828  
 anti-HIV drugs; 2111  
 anti-inflammatory; 1738  
 antimalaric chemotherapy; 1271  
 antimicrobial activity; 326, 1224, 1648  
 antimicrobial peptide; 822  
 antioxidant; 1259, 2042  
 antioxidant activity; 755, 1427, 1660, 1699, 2147  
 antioxidant capacity; 2169  
 antiradical capacity; 2147  
 antitubercular activity; 1719  
*Apis mellifera*; 1472  
 aquatic contamination; 2020  
 aquatic ecotoxicology; 1820  
 aqueous dispersions; 1437  
 aqueous two-phase systems; 209  
 aragonite; 178  
 archaeology; 1117  
 argentimetric; 174  
 aromadendrane-4 $\beta$ ,10 $\alpha$ -diol; 751  
 aromatic compounds; 798  
 aromatic nucleophilic substitution; 1885  
 arsenate; 1305  
 arsenic; 1315, 1948  
 arsenopyrite; 1127  
 arylfurans; 261  
 ascorbic acid; 1577  
*Aspergillus fumigatus*; 1942  
*Aspergillus niger*; 1973  
 Asteraceae; 727, 1081, 1691  
*Astragalus corniculatus*; 59  
 asymmetric synthesis; 771  
 atmospheric pollutants; 244  
 atomic absorption spectrometry; 104  
 availability; 306, 585  
*Azotobacter vinelandii*; 1800
- babassu oil; 407  
*Baccharis* ssp.; 727
- bacterial alginate; 1800  
 bakkenolides; 937  
 banana; 1367  
 Bayer process; 985  
*Beauveria felina*; 1099  
 bee pollen; 1660  
 benzaldehyde; 523  
 benzene; 2190  
 biamperometry; 1743  
 bianthrone; 1979  
 bibliographical research; 445  
 bioaccessibility; 394  
 bioaccumulation; 1089  
 bioactive macrolactams; 1499  
 bioanalytical methods; 1190  
 bioavailability; 47, 394, 1696  
 biochemical characteristics; 2118  
 biochemists parameters; 1925  
 biocide; 1851  
 biodegradation; 1330  
 biodiesel; 407, 421, 1062  
 biodiesel:diesel mixtures; 421  
 bio-electrochemistry; 1791  
 biofixation; 1038  
 biological exposure index; 1343  
 biological fluids; 1814  
 biological monitor; 214  
 biological monitoring; 1865, 2165  
 biological properties; 614  
 biological samples; 637, 1094  
 biomarker; 1330  
 biomass; 2014  
 biopolymer; 144, 384, 1800  
 bioreduction; 813  
 biosurfactants; 2091  
 blanching; 2047  
 blanket; 1843  
 boron-doped diamond electrode; 1405  
*Bostrychia tenella*; 837  
 bottom ash; 199  
 bovine rumen; 1990  
 Brazilian academic production; 2100  
 Brazilian honey; 1472  
 broccoli; 530  
 bupivacaine; 2152  
 button cell; 1567  
 butyltin speciation; 89  
*Byrsonima crassa*; 1719
- cachaça; 1034  
 cadmium; 1020, 1626  
 caffeine solubility; 1319  
 caffeoyl quinates; 751  
 cancer; 1170  
 CAPES; 2221

- capillary electrophoresis; 2124  
 captopril; 349  
 carbohydrate; 1738  
 carbon; 2031  
 carbon dioxide; 1609  
 carbon quantification methods; 94  
 carbon sources; 1942  
 carbonate; 1843  
 carbonated soft drinks; 1485  
 carboxylic acids; 536  
*Carica papaya*; 1953  
 Caryophyllaceae; 1125  
 casbane diterpenoid; 601  
 cashew apple; 1973  
 castor bean cake; 1104  
 castor oil; 818  
 castor oil transesterification; 2076  
 catalysis; 562  
 catalysts; 872  
 catechin; 493  
 cation removal; 144  
 CCFDF/QTAIM and CCFDF/ChelpG  
 absolute infrared intensities; 1750  
 cellular disruption; 336  
 ceramic pigment; 1004  
 chaetoglobosins; 1680  
*Chaetomium globosum*; 1680  
 characterization; 1034  
 characterization and stability study; 413  
 chemical characterization; 523  
 chemical constituents; 1691, 1987  
 chemical education; 452, 1885, 2100  
 chemical extractors; 1385  
 chemical formalism; 1591  
 chemical interesterification; 232, 330  
 chemical language; 921, 1582  
 chemical oxygen demand; 1641  
 chemical reaction models; 1582  
 chemical residues; 1595  
 chemical waste management; 1595  
 chemistry; 645, 1250  
 chemistry learning; 1888  
 chemistry teaching; 921, 1892  
 chemists' education; 445  
 chemometric techniques; 1121  
 chemometrics; 296  
 chemosensors; 2134  
 Chilean papaya; 1417  
 chiral enoates; 832  
 chiral ligands; 735  
 chitin; 2014  
 chitosan; 160, 486, 1400, 1460, 2014  
 chitosan microspheres; 160  
 chlorination; 172, 798  
*Chomelia obtusa*; 1987  
 chondroitin; 1285  
 chromatographic standards; 407  
 chromatography; 623  
 chromium; 676, 1450  
 Chrysobalanaceae; 66  
*cis*-hydrindanes; 781  
 classroom; 2184  
 classrooms demonstrations; 2199  
 clays; 562  
 clinoptilolite; 1237  
 cloud point extraction; 70  
 coal; 98  
 coal plant; 25  
 coffee husk; 1296  
 coffee oil; 1319  
 coffee waste; 1048  
 colonial technology; 930  
 colors of the ancients; 181  
 combustion; 98  
 composite electrode; 2194  
 computer simulation; 377  
*Conchocarpus heterophyllus*; 740  
 conductometric titration; 349  
 conformational analysis; 822  
 conformational map; 280  
 contamination; 1127, 2190  
 convolutamydine; 924  
 cooling water; 1851  
*Copaifera langsdorffii*; 1078  
 copper; 220, 1161  
 copper (II); 349  
 copper catalyst; 114  
 copper ion; 70  
 copper plating; 1843  
 copper-based alloy; 154  
 corrosion; 1851  
 cosmetics analysis; 1755  
 coumarins; 53  
 covalent and non-covalent interactions;  
 1208  
 cow; 268  
 CRAC assay; 2169  
 crocacin A-D; 854  
 crosslinked iron(III)-chitosan; 1305  
 crosslinking; 1460  
*Croton nepetaefolius*; 601  
*Cryptocarya* spp.; 503  
 crystallization; 330  
 Cu/Cu-EDTA system; 227  
 cultivation type and cooking; 530  
 cutinase; 2118  
 cyclization; 759  
 cyclodextrin; 290, 360  
 cyclopropane; 1673  
 cyclopropenones; 788  
*Cymbopogon citratus*; 1476  
 cytotoxicity; 20  
 D2EHPA; 1230  
 D-arabinose; 1710  
*Daucus carota*; 813  
 De Broglie's relation; 1869  
 degradation; 61, 1476  
 degradation mechanism; 1543  
 delivery system; 591  
 density functional theory; 1255  
 deoxynivalenol; 270  
 derivatization; 270  
 design of experiments; 1641  
 development; 2205  
 dexamethasone; 1131  
 dextrans; 1034  
 di-caffeoylquinic acids; 767  
 diesel; 2027  
 diesel blending; 1062  
 dietary products; 1743  
 differential pulse voltammetry; 1310  
 diphenylamine; 569  
 diphosphine; 807  
 dipole interaction; 1058  
 disaccharide conformation; 280  
 displacement reaction; 1582  
 dithiocarbamic acid; 1714  
 diuretics; 44  
 dose-response relationship; 1820  
 DRIFT; 1621, 2071  
 drug analysis; 637  
 drugs; 1755, 1814  
 dry material; 949  
 DSC; 2060  
*dual-site*; 1199  
 dyes; 1353  
 ECN 42 triacylglyceride content; 31  
 EDTA titration; 227  
 education; 174  
 Elaeocarpaceae; 1359  
 elaiosome; 475  
 e-learning; 445  
 electrical conductivity; 2065  
 electrical insulator; 340  
 electroanalysis; 123, 2194  
 electrochemistry; 220  
 electrocrystallization; 1150  
 electrodeposition; 1444  
 electrolysis; 123  
 electrolytic treatment; 508  
 electron stimulated ion desorption; 61  
 electronic spectroscopy; 254  
 electronic structure; 433  
 electrophilic reaction; 1243  
 electrophilicity; 1255  
 electrorepulsion; 1490  
 electrospray ionization; 2124  
 emissions; 539  
 enantioselective total synthesis; 854  
 encapsulation; 676  
 endophytic fungus; 1680  
 energy; 645

- environment; 688  
 environmental pollution; 340  
 enzymatic biosensor; 1791  
 enzymatic catalysis; 377  
 enzymatic inhibition; 1791  
 enzyme inhibitors; 1710  
 epistemology; 1875  
 epoxidation; 818  
 equilibrium data; 209  
 Escola Superior de Agricultura “São Bento”; 709  
 essential oil; 503, 605, 1476, 1648  
 essential oil composition; 727, 1081  
 esters; 1367  
 ethanol; 1073, 1104  
 ethyl carbamate; 1860  
 ethylene; 1673  
 etoricoxib; 574  
*Eucalyptus urograndis*; 1085  
*Euterpe precatoria*; 1427  
 excited state absorption; 2083  
 extraction; 1422  
 extraction technique; 1371  
 extractor; 949  
 extrusion; 84, 1990  
 ezetimibe; 1121
- Fabaceae; 59  
 factorial design; 975, 1073  
 fast sequential FAAS; 1784  
 fat formulation; 238  
 fatty acid esters of triterpenes; 2056  
 fatty acids; 475, 956, 1078, 1609  
 fecal sterols; 1008  
 Fenton process; 1145  
 Fenton reagent; 985  
 fermentation; 1807  
 ferric chloride; 1296  
 figures of merit; 164  
 filter furnace atomic absorption spectrometry; 1626  
 filtration; 312  
 fixed-dose combination; 969  
 flavonoids; 59, 802, 1125, 1378  
 flour; 498  
 flow analysis; 427  
 flow injection turbidimetry; 1653  
 fluorescence; 1324  
 fluoride; 317  
 fluoroquinolone; 1831  
 fluoxetine; 1665  
 fly ash; 199  
 folates; 530  
 food; 623  
 formaldehyde; 249  
 fortified foods; 546  
 foundation; 1898  
 fragmentation studies; 840
- frozen storage; 2047  
 fruits juices; 2169  
 frying; 956  
 FT-IR; 2060  
 fuel cells; 551  
 fuel ethanol; 1626  
 fuels; 539, 980  
 fulvic acid; 1324  
 fungal metabolites; 1807  
*Fusarium oxysporum*; 1670
- gamma radiation; 1043  
 gas chromatography; 539, 956, 1953  
 gas-liquid chromatography; 610  
 gatifloxacin; 1831  
 GC; 1422  
 GC-MS; 1860  
 gel; 486  
 genotoxic environmental contaminants; 401  
 geosmin; 75  
 glass transition; 384  
 glucosamine; 1285  
 glucose-6-phosphate dehydrogenase; 998  
 glucosyltransferase; 134  
 glutathione; 1170  
 glycerolysis; 1514  
 glycosyl donors; 1027  
 glycosylated amino acids; 1027  
 glycosylation reaction; 1027  
 glyphosate; 5, 220  
 glyphosate-resistant soybean; 5  
 gold electrode; 1067  
 government incentives; 1912  
 grape juice; 1948  
 graphite furnace; 104  
 graphite-epoxy composites; 2194  
 green tea; 317  
 groundwater; 1836  
 Guanabara Bay; 1613  
 guanidine alkaloids; 802  
 guapuruvu; 1349  
*Guettarda pohliana*; 755  
 Guettardeae; 1987  
 gunpowder; 930  
*Gypsophila trichotoma*; 1125
- H<sub>2</sub>O<sub>2</sub>; 1353  
 halobenzenes; 1255  
 harmaline; 204  
 heat; 1881  
 heavy metals; 949, 1696  
 hematite; 1117  
 herbicides; 79  
 heterocycles; 1710  
 heterogeneous system; 818  
 high performance liquid chromatography; 1665
- high-performance liquid chromatography; 417  
 high school Chemistry; 452  
 high-energy attrition mill; 962  
 higher education; 1250  
 historical of malaria; 1271  
 history of chemistry; 181, 709  
 history of technology; 2214  
 HNS; 1431  
 HPLC; 47, 969, 1137, 1343, 2152  
 HPLC analysis; 1378  
 HPLC-DAD; 1865  
 humic acid; 1324  
 humic substances; 1733  
 humification; 1994  
 Humphry Davy; 181  
 hybrid support; 35  
 hydantoin; 614  
 hydrazinophthalazine; 536  
 hydrocarbon polycyclic aromatics; 1089  
 hydrocarbons; 2009  
 hydrotalcite; 1290  
 hydroxymethylnitrofurazone; 290  
*Hyptis pectinata*; 1648
- identification; 1218  
 image analysis; 1485  
 immobilized cells; 134  
 immobilized iron; 1145  
 impact factor; 2221  
 impurities; 1686  
 inactivation; 2047  
 inclusion complex; 290, 360  
 indole alkaloids; 20  
 indomethacin; 1966  
 indoor; 249  
 industrial applications; 2118  
 infrared spectroscopy; 1573  
 infusion; 317  
 initial formation; 694  
 initial teacher education; 2174  
 innovation; 2205  
 inorganic constituents; 1533  
 inorganic contamination; 975  
 inorganic interferences; 1641  
 inorganic polymer; 144  
 institutions of higher education; 1595  
 insulating mineral oil; 1165  
 internal standard; 2190  
 internship; 694  
 intramolecular Friedel-Crafts acylation reaction; 763  
 invariance; 1881  
 iodine; 914  
 iontophoresis; 1490  
*Ipomoea subincana*; 751  
 iron; 585, 1117  
 iron oxide; 430, 518, 1467, 1636

- isatin; 924  
isoflavones; 1933  
isomaltulose; 134  
isosteric heat; 1417  
isothiocyanates; 1953  
isotopic analysis; 1562
- J. Braz. Chem. Soc.; 2221  
jabuticaba; 595  
juice; 1137
- kefir; 1738  
kerosene classification; 1573  
kinetics; 98, 569  
Kohonen neural network; 1141
- laboratory waste; 1892  
*Lactuca sativa L.*; 1670  
lapachol; 759, 1670  
Läue back-reflection method; 154  
Lauraceae; 503, 605  
LC-APCI/MS/MS; 574  
leaching/solubilization; 1301  
lead; 579  
lead in soils; 394  
lecithin; 910  
lecturers' actions and conceptions; 2174  
*Licania tomentosa*; 66  
LIF; 1994  
ligands; 872  
light fraction; 1733  
lignin; 2035  
lipase; 35, 1514  
lipid nanoemulsion; 591  
liquid core waveguide; 427  
liquid-phase microextraction; 637  
local anesthetic; 1775  
long pathlength spectrophotometry; 427  
*L-selectride*<sup>®</sup>; 793  
luminescence spectroscopy; 1755  
*L*-value; 1020
- Mabea fistulifera*; 475  
macrocycles; 655  
macrocyclization; 1499  
magnesium; 306  
malaria; 1271  
MALDI TOF mass spectroscopy; 2076  
malondialdehyde; 275  
mannitol; 776  
marine red alga; 837  
marine-derived fungi; 1099  
*Marlierea tomentosa*; 1747  
mass spectrometry; 669, 767, 1562, 2124  
master curve; 384  
media and television; 1875  
medium ring lactones; 885  
meeting; 1898
- melting point; 238  
membrane; 1775  
mercury; 321  
metal contamination; 10  
metal recovery; 680, 1567  
metallocene; 1199  
metalloporphyrin biomimetic reaction; 767  
metals; 25, 285, 353  
methodology; 270, 514  
methyl ethyl ketone; 2165  
microalga; 2031  
microalgae; 1038, 1609  
microcolumns for chromatography; 1410  
microencapsulation; 1400  
microparticles; 1966  
microwave; 562, 1553  
mid-infrared spectroscopy; 421  
milk; 268  
milk whey; 1937  
milkfat; 1960  
minerals; 41  
mixed oxide; 1290  
mobile sources; 244  
modern atomic theory; 1869  
modified lipids; 1960  
moisture content; 901  
molecular; 2184  
molecular modeling; 261  
molecular models; 921  
molecular recognition; 360  
molecular spectroscopy; 1750  
molecular weight distribution; 1199  
monocrystal growth; 906  
monoglycerides; 1514  
monoterpene; 735  
morin; 1472  
Morse's potential curve; 914  
Mössbauer spectroscopy; 430, 1467  
multielement AAS; 1784  
multivariate calibration; 254, 1621
- N*-acetylglucosamine derivatives; 326  
NaC-SDoD mixed micelles; 2065  
naked eye detection; 2134  
nanocapsules; 1131, 1966  
nanocomposite; 962  
nanoparticles; 1131  
nanotechnology; 2205  
natural products; 837, 885  
near-infrared diffuse reflectance; 700  
nebulizer-hydrate generation; 1315  
Nef reaction; 832  
neural networks; 1141  
new drugs; 2111  
*N*-heterocyclic carbenes; 872  
nickel phytoavailability; 990  
nickel-phosphorous; 1150  
niobia; 1636
- niobium oxide; 518  
niobium pentachloride; 763  
nitrogen dioxide; 551  
nitrogenated nucleophiles; 1885  
nitrous oxide; 1613  
NMR; 807, 1058, 1085, 1856  
*N*-nitrosothiazolidine carboxylic acid; 1067  
non-polluting systems; 1437  
norisoprenoides; 2056  
normalization; 10  
novel antibiotics; 854  
nuclear analytical techniques; 1094  
nutrient adsorption; 1156  
nutrient content; 556
- octalin; 781  
octalones; 793  
olefins; 655  
oligosaccharide; 1015  
olive oil; 31  
on-line solid-phase extraction; 574  
optical spectroscopy; 2199  
organic electrochemistry; 788  
organic mechanism teaching; 1243  
organic solvent exposure; 1865  
organic solvents; 1343  
organochlorines; 214  
organofunctionalized silica; 285  
organophosphates; 1631  
origins of life; 1599  
ornamental rock; 1301  
oscillations; 1444  
Otto-cycle engine; 980  
oxidation; 1636  
oxidative stability; 1053  
oxidative stress; 275, 1170  
oxygenated additive; 980  
ozonation; 312  
ozonized theobroma oil; 610
- PAHs; 1371  
palladium; 1094  
palmitic acid; 1722  
*para*-chloroaniline; 172  
partial acid hydrolysis; 1015  
participatory research; 1263  
passive biomonitoring; 1925  
Pb-Sr isotopes; 1836  
PBTAs; 401  
PCA; 1485, 1727  
*p*-chloranil; 1112  
*Peltodon radicans*; 744  
peptide sequencing; 669  
periodic table; 1141  
Pernambuco; 709  
peroxidase; 731  
peroxides index; 610  
pesticide; 5, 1310, 1982

- PETN; 2060  
petroleum refining; 1553  
pharmaceutical analysis; 1831  
pharmaceutical R&D; 1912  
phenol oxidation; 114  
*Phialemonium* sp.; 1942  
phosphate; 579, 704  
phosphatidylcholine; 910, 1856  
phosphorus sorption; 1467  
phosphorylation; 84  
photochemical reactor; 2156  
photodegradation; 1310  
photoelectrochemical process; 1362  
photopolymerization; 2156  
*Phyllomedusa distincta*; 822  
Physical chemistry; 1901, 1909  
physicochemical characterization; 340  
physico-chemical methods; 296  
phytosterols; 1960  
Piauí; 479  
Piracicaba River basin; 214  
plant extracts; 1224  
plasma polymerization; 1410  
plastic packaging; 1522  
PLGA nanospheres; 2152  
POA; 1353  
pollution; 1089, 1385, 2020  
poly(styrene sulfonate); 2004  
poly(vinyl alcohol); 1460  
polyethylene; 1043  
polymer dissolution; 1533  
polymeric materials; 1543  
polymeric precursor; 1706  
polymers; 1533  
polymorphism; 178  
polypyrrole films; 61  
polystyrene post-consume; 2004  
polytechnic education; 452  
polyurethane; 1437, 2076  
porous beads; 160  
Portuguese Empire; 2214  
potentiometry; 227  
*Povedadaphne quadriporata*; 605  
prato cheese; 1621  
prebiotic chemistry; 1599  
preparation methods; 369  
pre-service teaching in chemistry; 2174  
primary processing; 1553  
primary sanitary effluent; 312  
principal component analysis; 1107, 1997  
produced water; 1237  
productivity; 1073  
projection spectrograph; 2199  
projects; 1250  
propolis; 479  
protein hydrolysates of meat; 41  
proteomic analysis; 669  
protonation site; 840  
psoralen; 1392  
Pt ultramicroelectrode; 1150  
*Pterogyne nitens*; 802  
pump-probe technique; 2083  
purification; 910  
purification procedure; 731  
purified water for hemodialysis; 975  
purity determination; 1856  
Py-GC-MS; 1543  
pyranoflavones; 740  
pyrazolyl transition metal compounds; 1208  
pyrene fluorescence; 2065  
pyrolysis; 2035  
*Qualea grandiflora*; 1481  
Qualis; 2221  
quality control; 44  
quantification; 1431  
quantum chemistry; 1243  
Quantum Monte Carlo; 433  
Quim. Nova; 2221  
radical carbocyclization; 1499  
Raman spectroscopy; 1901  
rare earth; 962  
reaction mechanism; 377  
reactivity; 369, 614, 788  
recovery index; 556  
recycling programs; 688  
red wine; 296  
redox speciation; 1450  
reduced sulphur compounds; 1180  
reduction; 793  
reflective teaching; 1888  
Reformatsky reaction; 735  
relativistic effects; 1869  
remediation; 579  
residues; 174  
resonance Raman; 914  
retention of metals in the sediment; 1107  
retinol; 268  
reuse of treated wastewater; 1362  
rheological characteristics; 84  
rheology; 486  
riboflavin; 546  
ring-closing metathesis; 655  
river water; 79  
RNA world; 1599  
room-temperature phosphorescence; 204  
RP-HPLC; 1933  
Rutaceae; 2052  
ruthenium; 807  
S/G ratio; 2035  
saccharin; 1743  
salts; 209  
sample mineralization; 1336  
sampling of particulate matter; 2027  
sampling of volatile organic fraction; 2027  
Santos Bay; 1008  
saponins; 828  
SBQ; 1898  
scanner; 1577  
*Schizolobium parahyba*; 1349  
science in Brazil; 2214  
science insights; 1875  
scientific communication; 1263  
screening; 1099  
screening methods; 1224  
sediment; 10, 89, 1008, 1371, 2020  
selective heavy atom effect; 204  
selective ion monitoring; 1062  
selenium; 1315  
self-organization; 1444  
semi-arid zones; 1107  
*Senecio crassiflorus* var. *crassiflorus*; 1081  
*Senna reticulata*; 1979  
sequential extraction; 1385  
sequential injection; 704  
sesquiterpenes; 937  
sewage sludge; 990, 1020  
sildenafil citrate; 1112  
silica; 1004  
SIMCA model; 1573  
simultaneous determination; 1784  
simvastatin; 1121  
single crystal orientation; 154  
single-base; 569  
singlet oxygen; 1392  
*Sloanea garckeana*; 1359  
smokeless; 301  
sodium; 1948  
sodium cyclamate; 1405  
sodium lauryl sulphate; 1653  
sodium sulfacetamide; 1455  
soil; 25, 990, 1450  
soil organic matter; 94  
solid propellants; 301  
solid sampling; 104  
solid waste; 645, 1301  
solid-state fermentation; 1973  
solution calorimetry; 1455  
solvent effects; 1392  
solvent extraction; 1230, 2159  
sonification; 336  
sorption isotherms; 1417  
soybean oil; 527  
spectrophotometry; 704, 1112, 1577, 1933  
spent catalysts; 680  
spices; 514  
*Spirulina* sp LEB-18; 2031  
SPME; 79  
SPME-GC-FID; 2165  
spot test; 731  
spreadsheet; 164  
square-wave voltammetry; 1405

- stability; 275  
 starch; 1043  
 state of the art; 2100  
 stationary phases; 417  
 statistical analysis; 1330  
 statistical central composite design; 1378  
 statistical evaluation; 94  
 stavudine; 1686  
 stereoselective conjugate addition; 832  
 stimulated emission; 2083  
 stir-bar sorptive extraction (SBSE); 1814  
 stochastic methods; 433  
 stratification ratio; 1733  
 stripping voltammetry; 1336  
 structural studies; 906  
 structured lipid; 232, 238, 330  
 sugar cane spirit; 1860  
 sulfamethoxazole-trimethoprim; 254  
 sulfitation; 595  
 sulfonamide complexes; 1161  
 sulfoxine; 1400  
 sulfur dioxide; 551  
 sunflower oil; 1053  
 supercritical carbon dioxide; 1319  
 supercritical fluid extraction; 1699  
 supramolecular architectures; 1208  
 surface-active compounds; 2091  
*Swartzia langsdorffii*; 828  
 swine wastewater; 1156  
 synthesis of 1-indanones; 763  
 synthesis; 178, 885
- Tabernaemontana catharinensis*; 20  
*Tachigali myrmecophyla*; 493  
 Tamoxifen; 47  
*Tanaecium nocturnum*; 523  
 tandem mass spectrometry; 623  
*Tapirira guianensis*; 2056  
 Taxol; 1912  
 TBHQ; 1053  
 teacher training; 1888  
 teaching activity; 700  
 teaching practice; 694  
 terpenoids; 1078  
 textile effluents; 1362  
 thallium salts; 759  
 thallium trinitrate; 781  
 themal analytical; 1714  
 theoretical calculations; 840
- theoretical prediction; 1982  
 thermal analysis; 301, 527, 1722  
 thermal behavior; 1714  
 thermoanalytical techniques; 901  
 thermodynamics; 1909  
 thermodynamics of solutions; 1901  
 thermogravimetric analyses; 417  
 thermogravimetry; 1722  
 thiamin; 546  
 thin films; 1706  
 thin layer chromatography; 44  
 Tibagi River; 1727  
 TIMS; 1836  
 TiO<sub>2</sub>; 1353  
 tissues of *Corbicula fluminea*; 1696  
 titanium; 1230  
 titanium dioxide; 1706  
 titanosilicates; 321  
 TLC; 1259  
 TNT; 1431  
 Todos os Santos Bay; 89  
 topic and transdermal delivery; 1490  
 total nitrogen; 700  
 total synthesis; 937  
 toxicity tests; 1820  
 trace analysis; 1180  
 trehalose conformation; 280  
 triacylglycerol composition; 232  
 trichloroisocyanuric acid; 172, 798  
*Triphasia trifolia*; 53  
 triterpene lactone; 66  
 triterpenes; 744, 1719, 1747  
 triterpenoid saponins; 755  
 tropical wood; 2071  
 trypanocidal activity; 740  
 trypanothione reductase; 261  
 tuberculosis; 776  
 two-phase aqueous micellar systems; 998
- ultrasound; 123  
 ultraviolet crosslinker; 2156  
 undergraduate education; 1263  
 uranium; 2159  
 uranium hexafluoride; 1562  
 urban activities; 1997  
 urban air quality; 2009  
 UV radiation; 1336  
 UV spectrophotometry; 1665  
 uvarovite; 1004
- validation; 164, 498, 969, 1190, 1422  
 van't Hoff method; 1455  
 vegetable oils; 527  
 vehicular emission; 244, 2009  
*Vernonia chalybaea*; 1691  
 Verruga Stream; 1997  
 veterinary residues in food; 1190  
 visualization; 2184  
 vitamin; 498  
 vitamin C; 1137  
 vitamins; 41  
 V-Mg-Al catalyst; 1290  
 Vochysiaceae; 1481  
 volatile compounds; 479, 1990  
 volatiles; 1522  
 voltage-gated sodium channel; 1775  
 voltammetry; 1067
- waste characterization; 199  
 waste disposal; 688  
 waste management; 680, 1567, 1892, 2159  
 waste recycling; 1165  
 wastes; 676  
 water; 1631  
 water activity; 901  
 water contamination; 1982  
 water disinfection; 508  
 water quality; 508, 1727  
 water treatment; 2004  
 water-soluble derivative of rutin; 2147  
 weathering; 2071  
 whole soil; 1994  
 wine legislation; 595  
 work; 1881
- xanthan gum; 1937  
*Xanthomonas campestris*; 1937  
 X-ray; 906  
 X-ray diffraction; 430  
 xylans; 1085
- yeast; 2091
- Zanthoxylum tingoassuiba*; 2052  
 zeolites; 1156  
 zinc; 306, 585, 1161  
 zirconsilicates; 321  
 Zr/Ti -pillared clay; 353